

Listino Tubi elettrosaldati
Price list welded tubes
18 / 10 / 2021



Viale Grandi 7 e 9 - 42046 REGGIOLO (RE) – Italy
TEL: (+39) 0522 971421 - FAX: (+39) 0522 971889

commerciale.italia@profiltubi.it
commerciale.estero@profiltubi.it

SUPPLY CONDITIONS

1) LENGTHS:

- Tubes are supplied in length of 6 and/or 12 meters with maximum 5% of shorter lengths and/or cross welds.

2) QUANTITIES:

- It's admitted to supply within +/-10% tolerance on ordered quantities.

3) DIMENSIONAL QUANTITIES:

- According to EN 10219 and EN 10305 standard.

EXTRAS

CERTIFICATES:

- Certificate 2.2 according to EN 10204 no extras cost
- Certificate 3.1 according to EN 10204 - 1% discount on base price

FIX CUTS:

- Mill cut to length between 5000 mm. and 13000 mm with -0/+50 mm tolerance – min. 10 tons/length - 2% discount on base price
- Out line cut to be agreed

PACKAGING:

- Lifting bands 2 €/band

HOT DIP GALVANIZED:

to be agreed

PARTICULAR STEEL GRADES REQUESTS:

to be agreed

ADDEBITI TRASPORTO ITALIA €/TON

ABRUZZO	Teramo	29
	Chieti	32
	L'Aquila	31
	Pescara	30
BASILICATA	Matera	45
	Potenza	45
CALABRIA		60
CAMPANIA	Caserta	34
	Avellino	37
	Benevento	36
	Napoli	35
	Salerno	41
EMILIA ROMAGNA	Parma	12
	Piacenza	12
	Modena	12
	Reggio Emilia	12
	Bologna	14
	Ferrara	14
	Forli e Cesena	16
	Ravenna	15
Rimini	16	
FRIULI VENEZIA GIULIA	Pordenone	20
	Gorizia	23
	Trieste	22
	Udine	22
LAZIO	Viterbo	26
	Rieti	27
	Roma	28
	Frosinone	32
	Latina	32
LIGURIA	Genova	19
	La Spezia	19
	Savona	19
	Imperia	23
LOMBARDIA	Mantova	12
	Brescia	12
	Cremona	12
	Bergamo	14
	Lodi	14
	Monza e Brianza	14
	Pavia	14
	Como	16
	Lecco	16
	Milano	16
Varese	17	
Sondrio	20	

MARCHE	Ancona	21
	Pesaro e Urbino	22
	Macerata	23
	Ascoli P.	25
MOLISE	Campobasso	35
	Isernia	35
PIEMONTE	Alessandria	17
	Asti	17
	Biella	20
	Cuneo	20
	Torino	19
	Verbania	22
	Novara	16
Vercelli	20	
PUGLIA	Foggia	35
	Bari	39
	Barletta A. T.	39
	Brindisi	40
	Taranto	40
	Lecce	45
SARDEGNA		55
SICILIA		60
TOSCANA	Massa Carrara	18
	Firenze	18
	Lucca	18
	Prato	18
	Pisa	19
	Pistoia	19
	Arezzo	21
	Siena	21
Livorno	22	
Grosseto	25	
TRENTINO A.A.	Trento	16
	Bolzano	24
UMBRIA	Perugia	22
	Terni	23
VALLE D'AOSTA	Aosta	25
VENETO	Verona	12
	Vicenza	14
	Padova	15
	Rovigo	14
	Venezia	16
	Treviso	16
	Belluno	18

ADDEBITI DI TRASPORTO - COST TRANSPORT EXTRAS

Cod.	Country	€/ton
AT	Austria	43,00
CH	Switzerland	63,00
FR	France South-East	53,00
FR	France South West / North East	63,00
FR	France North West	73,00
FR	France North West	83,00
DE	Germany South	52,00
DE	Germany Center	62,00
DE	Germany North	72,00
BE	Belgium	67,00
LU	Luxembourg	67,00
NL	Holland	67,00
ES	Spain Catalunya	60,00
ES	Spain Basque / North East / Aragon	70,00
ES	Spain North West / West / South West	90,00
ES	Spain Central East	80,00
PT	Portugal	90,00
DK	Denmark	90,00



GERMANY TRANSPORT COST EXTRAS

CENTER		
Zip-Cod.	Country	€/ton
01	Dresden	62,00
02	Gorlitz	62,00
03	Cottbus	62,00
04	Leipzig	62,00
06	Halle	62,00
07	Jena	62,00
08	Zwickau	62,00
09	Chemnitz	62,00
30	Hannover	62,00
31	Hildesheim	62,00
32	Minden	62,00
33	Bielefeld	62,00
34	Kassel	62,00
35	Giessen	62,00
36	Fulda	62,00
37	Gottingen	62,00
38	Braunschweig	62,00
39	Magdeburg	62,00
40	Duesseldorf	62,00
41	Neuss	62,00
42	Solingen	62,00
44	Dortmund	62,00
45	Essen	62,00
46	Bocholt	62,00
47	Duisburg	62,00
48	Muenster	62,00
49	Osnabrueck	62,00
50	Koeln	62,00
51	Leverkusen	62,00
52	Aachen	62,00
53	Bonn	62,00
54	Trier	62,00
55	Mainz	62,00
56	Koblenz	62,00
57	Siegen	62,00
58	Hagen	62,00
59	Hamm	62,00
60	Frankfurt am Main	62,00
61	Bad Vilbel	62,00
63	Aschaffenburg	62,00
64	Darmstadt	62,00
65	Wiesbaden	62,00
66	Saarbruecken	62,00
67	Ludwigshafen	62,00
68	Mannheim	62,00
69	Heidelberg	62,00
98	Suhl	62,00
99	Erfurt	62,00

SOUTH		
Zip-Cod.	Country	€/ton
70	Stuttgart	52,00
71	Ludwigsburg	52,00
72	Tuebingen	52,00
73	Schaebish Gmuend	52,00
74	Heilbronn	52,00
75	Pforzheim	52,00
76	Karlsruhe	52,00
77	Offenburg	52,00
78	Kostanz	52,00
79	Freiburg	52,00
80-81	Muenchen	52,00
82	Garmish	52,00
83	Rosenheim	52,00
84	Landshut	52,00
85	Ingolstadt	52,00
86	Augsburg	52,00
87	Kempton	52,00
88	Friedrichshafen	52,00
89	Ulm	52,00
90	Nuernberg	52,00
91	Ansbach	52,00
92	Amberg	52,00
93	Regensburg	52,00
94	Passau	52,00
95	Bayreuth	52,00
96	Bamberg	52,00
97	Wuerzburg	52,00

NORTH		
Zip-Cod.	Country	€/ton
10-12-13	Berlin	72,00
14	Brandenburg	72,00
15	Frankfurt/Oder	72,00
16	Wittstock	72,00
17	Neubrandenburg	72,00
18	Rostock	72,00
19	Ludwigslust	72,00
20-22	Hamburg	72,00
21	Lueneburg	72,00
23	Luebeck	72,00
24	Kiel	72,00
25	Husum	72,00
26	Oldenburg	72,00
27	Bremerhaven	72,00
28	Bremen	72,00
29	Celle	72,00

FRANCE TRANSPORT COST EXTRAS

SOUTH WEST / NORTH EAST DIAGONAL

Zip-Cod.	Country	€/ton
03	Montlucon	63,00
08	Charleville Meziers	63,00
09	Foix	63,00
10	Troyes	63,00
11	Carcassonne	63,00
12	Rodez	63,00
15	Aurillac	63,00
19	Brive	63,00
21	Dijon	63,00
24	Perigueux	63,00
25	Besancon	63,00
31	Toulouse	63,00
32	Auch	63,00
33	Bordeaux	63,00
34	Montpellier	63,00
39	Lons le Saulnier	63,00
40	Dax	63,00
43	Le Puy	63,00
46	Cahors	63,00
47	Agen	63,00
48	Mende	63,00
51	Chalons	63,00
52	Chaumont en Bassigny	63,00
54	Nancy	63,00
55	Bar le Duc	63,00
57	Metz	63,00
58	Nevers	63,00
63	Clermont Ferrand	63,00
64	Bayonne	63,00
65	Tarbes	63,00
66	Perpignan	63,00
67	Strasbourg	63,00
68	Colmar	63,00
70	Vesoul	63,00
71	Macon	63,00
81	Albi	63,00
82	Montauban	63,00
88	Epinal	63,00
89	Auxerre	63,00
90	Belfort	63,00

NORTH WEST QUADRANT

Zip-Cod.	Country	€/ton
02	Laon	73,00
16	Cognac	73,00
17	Rochefort	73,00
18	Bourges	73,00
23	Creuse	73,00
28	Chartres	73,00
36	Chateauroux	73,00
37	Tours	73,00
41	Blois	73,00
45	Orleans	73,00
59	Lille	73,00
60	Compeigne	73,00
62	Arras	73,00
75	Paris	73,00
77	Melun	73,00
78	Versaille	73,00
80	Amiens	73,00
86	Poitiers	73,00
87	Limoges	73,00
91	Evry	73,00
92	Boulogne - Billancourt	73,00
93	Bobigny	73,00
94	Creteil	73,00
95	Pontoise	73,00
14	Caen	83,00
22	St. Brieuc	83,00
27	Evreux	83,00
29	Brest	83,00
35	Rennes	83,00
44	Nantes	83,00
49	Angers	83,00
50	Cherbourg	83,00
53	Laval	83,00
56	Vannes	83,00
61	Alencon	83,00
72	Le Mans	83,00
76	Rouen	83,00
79	Niort	83,00
85	La Roche sur Yon	83,00

EAST QUADRANT

Zip-Cod.	Country	€/ton
01	Bourge en Bresse	53,00
04	Digne (Les Bains)	53,00
05	Gap	53,00
06	Nice	53,00
07	Privas	53,00
13	Marseille	53,00
26	Valence	53,00
30	Ales	53,00

Zip-Cod.	Country	€/ton
38	Grenoble	53,00
42	St. Etienne	53,00
69	Lyon	53,00
73	Chambery	53,00
74	Annecy	53,00
83	Toulon	53,00
84	Avignon	53,00

SPAIN TRANSPORT COST EXTRAS

BASQUE / NORTH EAST / ARAGON

Zip-Cod.	Country	€/ton
01	Alava	70,00
09	Burgos	70,00
12	Castellon	70,00
20	Guipuzcoa	70,00
22	Huesca	70,00
26	La Rioja	70,00
31	Navarra	70,00
34	Palencia	70,00
39	Cantabria	70,00
42	Soria	70,00
44	Teruel	70,00
46	Valencia	70,00
48	Vizcaya	70,00
50	Zaragoza	70,00

CENTRAL EAST

Zip-Cod.	Country	€/ton
02	Albacete	80,00
03	Alicante	80,00
05	Avila	80,00
16	Cuenca	80,00
19	Guadalajara	80,00
28	Madrid	80,00
30	Murcia	80,00
40	Segovia	80,00
45	Toledo	80,00

CATALUNYA

Zip-Cod.	Country	€/ton
08	Barcelona	60,00
17	Girona	60,00
25	Lledia	60,00
43	Tarragona	60,00

NORTH WEST / WEST / SOUTH WEST

Zip-Cod.	Country	€/ton
04	Almeria	90,00
06	Badajoz	90,00
10	Caceres	90,00
11	Cadiz	90,00
13	Ciudad Real	90,00
14	Cordoba	90,00
15	La Coruna	90,00
18	Granada	90,00
21	Huelva	90,00
23	Jaen	90,00
24	Leon	90,00
27	Lugo	90,00
29	Malaga	90,00
32	Orense	90,00
33	Asturias	90,00
36	Pontevedra	90,00
37	Salamanca	90,00
41	Sevilla	90,00
47	Valladolid	90,00
49	Zamora	90,00

TUBI DECAPATI - PICKLED TUBES

TUBI OVALI - OVAL TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00
30x15	S 235 JR	191,0	246,6			
40x20	S 235 JR	253,2	322,7			
50x10	S 235 JR	282,4	366,6			
50x25	S 235 JR	331,8	432,2			
60x30	S 235 JR	398,4	517,3			

TUBI QUADRI - SQUARE TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00
10x10	S 235 JR	112,8				
12x12	S 235 JR	127,4				
15x15	S 235 JR	160,8	194,1			
20x20	S 235 JR	182,0	231,7	295,6	345,1	
22x22	S 235 JR	217,3	282,0			
25x25	S 235 JR	229,1	290,5	365,7	398,5	
30x30	S 235 JR	271,1	345,7	435,7	492,7	
34x34	S 235 JR	388,6	458,9	559,1		
35x35	S 235 JR	326,3	445,2	526,9	581,4	
40x40	S 235 JR	349,3	429,9	564,4	656,4	874,1
45x45	S 235 JR	439,8	564,8	664,8	763,3	
50x50	S 235 JR	477,4	591,1	720,5	873,2	1.137,2
60x60	S 235 JR	540,0	666,1	878,3	1.036,4	1.380,4
70x70	S 235 JR	683,8	835,1	1.037,1	1.269,8	1.664,7
80x80	S 235 JR	781,6	938,5	1.211,9	1.432,2	1.868,4
90x90	S 235 JR		1.154,3		1.679,7	2.121,1
100x100	S 235 JR		1.197,3	1.515,5	1.814,7	2.407,2

TUBI RETTANGOLI - RECTANGULAR TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00
15x10	S 235 JR	146,0				
20x10	S 235 JR	160,0	191,3			
20x15	S 235 JR	163,5	207,3			
25x10	S 235 JR	175,7	223,1			
25x15	S 235 JR	193,5	230,6			
25x20	S 235 JR	215,7	256,1			
30x10	S 235 JR	195,2	249,0			
30x15	S 235 JR	213,8	253,8			
30x20	S 235 JR	224,6	284,7	358,5	430,0	
30x25	S 235 JR	273,3	325,3			
35x15	S 235 JR	246,0	312,7			
35x20	S 235 JR	271,2	322,2			
35x25	S 235 JR	336,9	376,1	442,1		
40x10	S 235 JR	232,2	294,8			
40x15	S 235 JR	266,1	338,6	423,8		
40x20	S 235 JR	271,1	345,7	435,7	480,2	
40x25	S 235 JR	320,8	410,9	483,6		

TUBI RETTANGOLI - RECTANGULAR TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00
40x27	S 235 JR	327,5	411,1			
40x30	S 235 JR	342,9	392,8	516,2	570,5	
45x15	S 235 JR	272,4	372,8			
45x20	S 235 JR	299,6	410,9			
45x25	S 235 JR	350,6	418,0	529,0		
50x10	S 235 JR	274,9	350,8			
50x15	S 235 JR	332,6	398,7			
50x20	S 235 JR	320,3	407,2	516,2	639,4	
50x25	S 235 JR	340,7	434,8	549,5	666,7	
50x30	S 235 JR	370,3	438,7	556,0	659,2	877,0
50x35	S 235 JR	398,5	500,2			
50x40	S 235 JR	400,5	513,1	671,0	763,2	
60x10	S 235 JR	363,1	434,3			
60x15	S 235 JR	380,1	486,7			
60x20	S 235 JR	377,1	447,9	567,4	702,4	
60x30	S 235 JR	425,8	507,8	641,8	752,0	
60x40	S 235 JR	462,6	547,7	695,3	868,9	1.135,9
60x50	S 235 JR	519,7	702,3	845,5	973,1	1.288,4
70x20	S 235 JR	447,8	574,9	677,5		
70x30	S 235 JR	497,3	626,3	752,9	873,5	
70x40	S 235 JR	536,5	689,3	813,8	954,0	
70x50	S 235 JR	563,8	760,7	917,5	1.080,5	1.398,1
80x15	S 235 JR	453,2	621,7			
80x20	S 235 JR	457,6	585,5		904,2	
80x30	S 235 JR	548,6	657,3	833,5	969,2	
80x40	S 235 JR	584,8	673,4	886,9	1.036,4	1.380,4
80x50	S 235 JR	619,2	779,9	1.008,9	1.169,6	1.529,9
80x60	S 235 JR	663,8	807,3	1.080,3	1.277,6	1.660,1
90x40	S 235 JR	663,2	910,5			
90x50	S 235 JR	710,4	914,3		1.353,2	
100x20	S 235 JR	576,8	739,7			
100x30	S 235 JR	634,1	815,1	1.061,6	1.198,2	
100x40	S 235 JR	656,4	877,9	1.021,9	1.250,1	1.629,0
100x50	S 235 JR	701,4	871,0	1.108,9	1.344,6	1.770,5
100x60	S 235 JR		1.009,0	1.195,3	1.449,4	1.894,3
100x80	S 235 JR		1.058,8		1.680,2	2.121,1
120x40	S 235 JR		959,9		1.449,4	1.894,3
120x60	S 235 JR		1.074,8		1.824,3	2.121,1
120x80	S 235 JR		1.295,7	1.526,5	1.824,8	2.407,2
140x60	S 235 JR		1.295,7		1.824,8	2.405,1
150x50	S 235 JR		1.285,9		1.824,8	2.407,2

TUBI DECAPATI - PICKLED TUBES

TUBI TONDI - ROUND TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00
12	S 235 JR	100,8	129,6			
14	S 235 JR	117,3	143,3			
16	S 235 JR	123,8	153,5			
17,2	S 235 JR		165,9			
18	S 235 JR	132,8	166,4			
20	S 235 JR	151,6	189,1			
21,3	S 235 JR	157,1	183,9	230,0		
22	S 235 JR	154,6	192,8			
25	S 235 JR	171,6	214,4	270,3	325,0	
26,9	S 235 JR	195,2	248,5	299,3	353,6	
28	S 235 JR	191,9	239,8	303,1	366,1	
30	S 235 JR	220,5	257,1	325,4	393,5	
32	S 235 JR	219,8	296,6	349,2	423,9	
33,7	S 235 JR		288,3	366,1	436,1	
35	S 235 JR	258,0	301,4	382,7	462,2	
38	S 235 JR	279,9	352,6	415,7	509,0	
40	S 235 JR	300,5	379,3	448,4	539,4	
42,4	S 235 JR	278,8	366,8	467,3	573,5	
45	S 235 JR	339,8	398,8	507,5	608,0	
48,3	S 235 JR	319,9	420,5	536,2	653,9	860,0
50	S 235 JR	353,2	445,4	567,4	679,3	893,8
60,3	S 235 JR	404,6	528,9	677,4	828,6	1.108,2
70	S 235 JR	534,8	679,0	806,0	966,8	1.298,1
76,1	S 235 JR	557,6	731,9	870,7	1.056,6	1.419,6
80	S 235 JR	623,9	793,6	944,2	1.119,9	1.517,6
88,9	S 235 JR		882,5	1.093,3	1.315,2	1.732,2
101,6	S 235 JR		994,1	1.207,4	1.455,4	1.922,1
108	S 235 JR	839,3	1.128,3		1.608,1	2.124,0
114,3	S 235 JR		1.164,0	1.448,6	1.742,2	2.239,3
121	S 235 JR					
127	S 235 JR		1.384,5		1.922,4	2.543,5

TUBI SERRAMENTI / WINDOW FRAMES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00
1A	S 235 JR	359,7				
1B	S 235 JR	453,2				
1C	S 235 JR	421,6				
2A	S 235 JR	367,2				
11A	S 235 JR	282,5				
11B	S 235 JR	329,0				
11C	S 235 JR	336,4				
15A	S 235 JR	413,7				
15T	S 235 JR	491,1				
15Z	S 235 JR	491,1				
16A	S 235 JR	474,9				
16B	S 235 JR	474,9				
16Z	S 235 JR	530,2				
21L	S 235 JR	467,0				
21T	S 235 JR	601,0				
21Z	S 235 JR	601,0				
MT9	S 235 JR	382,9				
SF1B	S 235 JR	465,6				
SF2B	S 235 JR	549,2				
SF3B	S 235 JR	545,1				

TUBI NERI - BLACK TUBES S 235 JR

TUBI QUADRI - SQUARE TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
15x15	S 235 JR	131,2	149,7							
20x20	S 235 JR	157,2	187,0	227,1	254,0					
25x25	S 235 JR	189,5	225,0	277,0	317,7					
30x30	S 235 JR	225,4	268,6	354,1	379,5	480,9				
34x34	S 235 JR	307,6	380,1	418,9	549,3					
35x35	S 235 JR	265,4	331,8	442,3	450,4	624,5				
40x40	S 235 JR	300,6	361,3	435,7	501,0	649,1	780,5			
45x45	S 235 JR	399,0	441,5	591,1	592,5	842,0	1.062,4			
50x50	S 235 JR	406,2	478,1	597,6	645,3	832,7	1.013,7	1.259,7		
60x60	S 235 JR	465,2	563,0	757,4	797,7	1.036,8	1.256,3	1.738,4		
70x70	S 235 JR	585,1	670,1	942,9	953,1	1.246,5	1.517,2	1.802,5		
80x80	S 235 JR		757,6	1.022,9	1.080,1	1.417,2	1.737,0	2.069,9		
90x90	S 235 JR		948,5	1.202,1	1.245,3	1.642,4	2.002,0	2.408,5		
100x100	S 235 JR		982,0	1.190,9	1.368,9	1.798,5	2.213,5	2.665,7		
110x110	S 235 JR				1.832,2	2.101,4	2.586,4	3.113,8		
120x120	S 235 JR			1.570,8	1.679,0	2.220,8	2.737,1	3.301,8		
140x140	S 235 JR				2.224,1	2.656,9	3.608,1	4.544,3		
150x150	S 235 JR			2.099,8	2.262,7	2.878,3	3.565,9	4.733,2		
160x160	S 235 JR				2.794,3	3.174,5	3.850,5	4.666,2		
175x175	S 235 JR				2.991,4	3.575,5	4.351,7	5.157,2		
180x180	S 235 JR						4.368,2	5.292,7		
200x200	S 235 JR				3.155,2	4.127,7	4.922,5	5.965,3		
220x220	S 235 JR					4.671,4	5.639,4	6.849,2		
250x250	S 235 JR					5.387,3	6.587,8	7.981,9		

TUBI RETTANGOLI - RECTANGULAR TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
20x10	S 235 JR	124,7	143,7							
20x15	S 235 JR	137,1	161,6							
25x10	S 235 JR	155,3	184,8							
25x15	S 235 JR	168,9	185,0							
30x10	S 235 JR	166,7	198,9							
30x15	S 235 JR	184,1	208,9	276,0	299,7					
30x20	S 235 JR	186,7	223,6	309,5	336,1					
30x25	S 235 JR	245,9	259,3	356,7	413,5					
35x15	S 235 JR	217,2	245,3							
35x20	S 235 JR	228,7	259,3		358,0					
35x25	S 235 JR	289,7	303,0	346,6	434,4					
40x10	S 235 JR	193,3	232,0							
40x15	S 235 JR	239,5	278,3	356,7						
40x20	S 235 JR	223,2	268,6	357,5	370,9					
40x25	S 235 JR	284,8	311,6	379,8	464,8					
40x27	S 235 JR	293,8	323,6	429,4	497,9					
40x30	S 235 JR	287,2	314,9	379,3	440,2	564,6				
45x20	S 235 JR	250,4	347,2		485,8					
50x10	S 235 JR	237,2	286,8							

TUBI NERI - BLACK TUBES S 235 JR

TUBI RETTANGOLI - RECTANGULAR TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
50x15	S 235 JR	294,9	315,9							
50x20	S 235 JR	268,2	325,5	419,6	455,3					
50x25	S 235 JR	286,1	343,8	418,9	488,4					
50x30	S 235 JR	346,6	365,4	440,9	513,1	664,2				
50x40	S 235 JR	350,5	423,8	525,1	592,5	772,5	1.073,2			
60x10	S 235 JR	324,5	350,3							
60x15	S 235 JR	343,8	405,8		521,5					
60x20	S 235 JR	356,1	381,9	471,4	536,7					
60x30	S 235 JR	395,5	418,9	544,5	592,5	772,5				
60x40	S 235 JR	416,7	458,3	556,3	645,3	842,2	1.026,0	1.259,7		
60x50	S 235 JR	442,1	589,8	680,0	790,9	1.053,2	1.319,1	1.493,2		
70x20	S 235 JR	415,2	506,1	623,0	626,7					
70x30	S 235 JR	448,6	502,2	656,7	696,8	959,5				
70x40	S 235 JR	497,1	560,0	732,2	738,3	967,4	1.358,5			
70x50	S 235 JR	477,2	626,7	800,7	806,9	1.049,5	1.417,2	1.615,4		
80x15	S 235 JR	403,6	558,3							
80x20	S 235 JR	406,5	489,9		767,8					
80x30	S 235 JR	497,1	522,9	732,2	746,5	1.047,6				
80x40	S 235 JR	538,1	563,0	686,6	797,7	1.049,5	1.285,9	1.592,6		
80x50	S 235 JR	525,1	627,8	880,1	889,7	1.160,9	1.424,8	1.789,0		
80x60	S 235 JR	559,9	670,1	942,9	953,1	1.246,5	1.517,2	1.907,4		
90x50	S 235 JR		696,6	904,5	975,3	1.274,3	1.680,5	2.242,0		
90x70	S 235 JR		864,1	1.113,2	1.213,2	1.582,2	1.939,2			
100x20	S 235 JR	581,4	623,9	810,2	997,5					
100x30	S 235 JR	556,0	665,8		930,8	1.227,2	1.720,8			
100x40	S 235 JR	653,6	717,2	942,9	953,1	1.260,6	1.662,1	2.201,0		
100x50	S 235 JR		736,0	964,7	1.019,9	1.335,5	1.650,9	2.281,5		
100x60	S 235 JR		843,4	1.081,4	1.092,5	1.433,3	1.756,8	2.159,5		
100x80	S 235 JR		896,5		1.245,3	1.642,4	2.148,3	2.408,5		
110x50	S 235 JR		834,6		1.217,9	1.715,0	1.848,1			
110x70	S 235 JR		969,1		1.401,2	1.837,3	2.239,7			
120x30	S 235 JR		842,7	996,1	1.161,0	1.574,7				
120x40	S 235 JR		822,5	1.047,1	1.124,9	1.491,6	1.848,1	2.615,4		
120x50	S 235 JR		1.043,4	1.255,0	1.304,0	1.759,4	2.332,2	2.794,2		
120x60	S 235 JR		911,3	1.259,4	1.245,3	1.642,4	2.002,0	2.484,3		
120x80	S 235 JR		1.072,6	1.272,1	1.377,2	1.808,0	2.225,1	2.681,8		
120x100	S 235 JR				1.659,0	2.313,2	2.694,1	3.241,0		
130x50	S 235 JR		1.086,3		1.533,2	1.717,3	2.322,3			
140x40	S 235 JR		922,8		1.349,8	1.896,8	2.139,8	2.678,7		
140x50	S 235 JR		1.094,4		1.417,6	1.961,1				
140x60	S 235 JR		1.094,7	1.340,6	1.449,7	2.020,6	2.252,1	2.862,5		
140x70	S 235 JR		1.169,7		1.609,5	2.346,5	2.512,4	3.018,8		
140x80	S 235 JR				1.636,5	2.078,8	2.558,4	3.083,2		
150x30	S 235 JR		1.025,3	1.202,1	1.444,6	1.990,0	2.162,2			
150x40	S 235 JR		1.191,4	1.312,4	1.668,7	1.949,8	2.652,3			
150x50	S 235 JR		1.105,4		1.449,7	1.831,5	2.277,5	2.892,3		
150x60	S 235 JR				1.593,1	2.024,5	2.866,2	3.146,7		

TUBI NERI - BLACK TUBES S 235 JR

TUBI RETTANGOLI - RECTANGULAR TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
150x100	S 235 JR				1.908,8	2.436,8	2.992,8	3.615,9		
160x60	S 235 JR				1.849,6	2.236,2	2.750,1	3.655,7		
160x80	S 235 JR				1.747,3	2.220,8	2.737,1	3.301,8		
180x60	S 235 JR				1.795,3	2.568,8	2.772,4	3.530,1		
180x80	S 235 JR				2.025,1	2.810,4	3.126,3	3.768,9		
180x100	S 235 JR				2.225,6	2.912,5	3.460,5	4.171,5		
200x80	S 235 JR				2.270,1	2.969,0	3.532,9	4.260,6		
200x100	S 235 JR				2.301,4	2.992,2	3.565,9	4.608,8		
200x150	S 235 JR				2.730,8	3.632,5	4.422,2	5.354,0		
250x100	S 235 JR				3.019,4	3.632,5	4.422,2	5.354,0		
250x150	S 235 JR					4.189,9	5.113,0	6.191,8		
300x100	S 235 JR					4.235,6	5.194,0	6.288,3		
300x150	S 235 JR					5.122,6	5.958,4	7.293,9		
300x200	S 235 JR					5.494,3	6.756,5	8.182,7		

TUBI SERRAMENTI - WINDOW FRAMES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
1A	S 235 JR	321,4								
1B	S 235 JR	404,4								
1C	S 235 JR	369,7								
2A	S 235 JR	335,1								
10A	S 235 JR	249,9								
11A	S 235 JR	252,4								
11B	S 235 JR	300,7								
11C	S 235 JR	300,7								
15A	S 235 JR	369,7								
15T	S 235 JR	439,2								
15Z	S 235 JR	439,2								
16A	S 235 JR	425,3								
16B	S 235 JR	425,3								
16D	S 235 JR		819,8							
SF1B	S 235 JR	415,6								
SF2B	S 235 JR	486,6								
SF3B	S 235 JR	486,6								

TUBI NERI - BLACK TUBES S 235 JR

TUBI TONDI - ROUND TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
16	S 235 JR	111,0								
17,2	S 235 JR		154,4							
18	S 235 JR	115,9	136,1							
20	S 235 JR	134,6	156,9							
21,3	S 235 JR		159,8	194,9	255,9					
22	S 235 JR	143,8	175,0							
25	S 235 JR	154,5	185,9	262,3	285,4					
26,9	S 235 JR	177,3	209,7	245,3	327,5					
28	S 235 JR	172,5	208,3	252,5	341,0					
30	S 235 JR	195,9	223,3	272,1	318,2					
32	S 235 JR	198,0	256,0	291,0	366,9					
33,7	S 235 JR	235,1	249,5	303,6	352,8	468,7				
35	S 235 JR	236,2	262,3	318,2	427,6					
38	S 235 JR	266,8	305,1	346,5	444,4	611,1				
40	S 235 JR	267,5	318,3	373,8	467,4	631,7	718,0			
42,4	S 235 JR	262,0	318,4	389,0	453,2	599,5	737,3	903,3		
45	S 235 JR	311,2	346,7	423,8	544,9	646,1				
48,3	S 235 JR	299,8	364,5	446,0	521,0	683,5	844,6			
50	S 235 JR	316,8	387,5	521,4	553,7	778,0	1.032,4			
60,3	S 235 JR	377,9	460,5	563,0	659,2	867,9	1.066,6	1.353,3		
70	S 235 JR	509,0	629,1	773,8	822,5	1.115,5	1.281,0			
76,1	S 235 JR	528,3	650,2	778,0	850,7	1.205,8	1.387,1	1.677,0		
80	S 235 JR	594,1	687,6	905,9	992,2	1.226,6	1.737,0			
88,9	S 235 JR		750,7	923,3	1.011,9	1.340,0	1.647,2	2.006,6		
101,6	S 235 JR		803,0	1.136,3	1.209,6	1.604,8	2.039,1	2.300,3		
108	S 235 JR		958,9		1.388,8	1.680,4	2.222,3	2.760,0		
114,3	S 235 JR		906,1	1.281,7	1.309,9	1.743,1	2.158,9	2.610,1		
121	S 235 JR		1.155,0		1.592,0	2.111,4	2.390,6	2.894,6		
127	S 235 JR		1.119,5	1.343,9	1.536,5	2.081,8	2.705,8	2.951,5		
133	S 235 JR			1.406,6	1.674,2	2.078,8	2.762,4	3.588,1		
139,7	S 235 JR				1.642,2	2.191,3	2.982,8	3.299,3		
152,4	S 235 JR			1.544,2	1.819,7	2.584,2	3.005,7	4.001,7		
159	S 235 JR				2.060,2	2.502,2	3.567,5	3.772,0		
168,3	S 235 JR				2.123,2	2.649,2	3.774,1	3.999,1		
193,7	S 235 JR				2.455,9	3.058,1	4.092,2	5.197,9		
219,1	S 235 JR				2.724,2	3.486,9	4.539,3	5.918,9		

TUBI NERI - BLACK TUBES S 275 JO / J2

TUBI QUADRI - SQUARE TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
20x20	S 275 JO/J2		192,0	233,1	290,8					
25x25	S 275 JO/J2		231,4	284,8	326,8					
30x30	S 275 JO/J2		276,6	363,6	390,7	494,7				
34x34	S 275 JO/J2		389,2	429,9						
35x35	S 275 JO/J2		341,2	453,8	463,7	641,4				
40x40	S 275 JO/J2		372,2	449,0	516,6	668,8	803,9			
45x45	S 275 JO/J2		453,8	606,3	610,4	864,8				
50x50	S 275 JO/J2		491,8	614,5	665,5	858,4	1.044,5	1.295,2		
60x60	S 275 JO/J2		579,9	778,1	822,3	1.068,5	1.294,7	1.782,2		
70x70	S 275 JO/J2		689,9	967,0	981,8	1.284,1	1.562,8	1.855,7		
80x80	S 275 JO/J2		780,4	1.050,8	1.113,4	1.460,6	1.790,3	2.132,0		
90x90	S 275 JO/J2		974,3		1.283,1	1.691,7	2.062,2	2.479,7		
100x100	S 275 JO/J2		1.010,7	1.226,5	1.410,9	1.853,6	2.281,3	2.745,8		
110x110	S 275 JO/J2				1.878,9	2.162,8	2.661,7	3.202,9		
120x120	S 275 JO/J2				1.729,9	2.287,8	2.819,6	3.399,2		
140x140	S 275 JO/J2				2.283,8	2.736,2	3.705,8	4.659,7		
150x150	S 275 JO/J2				2.327,3	2.963,0	3.670,9	4.857,4		
175x175	S 275 JO/J2				3.066,7	3.675,3	4.475,1	5.303,7		
180x180	S 275 JO/J2						4.495,4	5.444,1		
200x200	S 275 JO/J2				3.241,9	4.242,2	5.064,4	6.134,0		
250x250	S 275 JO/J2					5.531,3	6.766,7	8.194,9		

TUBI RETTANGOLI . RECTANGULAR TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
30x15	S 275 JO/J2		214,5		321,7					
30x20	S 275 JO/J2		229,9	317,0	344,9					
40x20	S 275 JO/J2		276,6	367,0	382,1					
40x25	S 275 JO/J2		320,4	390,3	477,0					
40x30	S 275 JO/J2		324,1	390,7	453,4					
50x20	S 275 JO/J2		334,9	430,9	468,7					
50x25	S 275 JO/J2		354,1	431,3	502,8					
50x30	S 275 JO/J2		376,1	454,2	528,7	684,0				
50x40	S 275 JO/J2		436,1	540,1	610,4	795,2				
60x20	S 275 JO/J2		392,8	484,6	552,2					
60x30	S 275 JO/J2		431,3	559,6	610,4	795,2				
60x40	S 275 JO/J2		472,1	573,3	665,5	867,8	1.057,0	1.295,2		
60x50	S 275 JO/J2		605,2	698,9	813,2	1.082,0		1.533,3		
70x30	S 275 JO/J2		515,9	673,6	716,9	985,3				
70x40	S 275 JO/J2		575,3	751,1	760,6	995,9	1.393,1	1.700,3		
70x50	S 275 JO/J2		643,5	821,4	831,2	1.081,1	1.455,4			
80x30	S 275 JO/J2		538,2	751,1	768,7	1.076,1				
80x40	S 275 JO/J2		579,9	707,2	822,3	1.081,1	1.324,2	1.637,0		
80x50	S 275 JO/J2		646,1	902,6	916,2	1.195,5	1.466,8	1.837,9		
80x60	S 275 JO/J2		689,9	967,0	981,8	1.284,1	1.562,8	1.960,6		
90x50	S 275 JO/J2		716,3		1.004,2	1.311,9	1.726,1	2.295,2		
90x70	S 275 JO/J2		907,2	1.168,3	1.251,4	1.631,9	2.000,1			
100x30	S 275 JO/J2		684,1		957,5	1.261,7				

TUBI NERI - BLACK TUBES S 275 JO / J2

TUBI RETTANGOLI . RECTANGULAR TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
100x40	S 275 JO/J2		737,0	967,0	981,8	1.297,9	1.707,9	2.254,1		
100x50	S 275 JO/J2		757,3	991,0	1.050,9	1.375,8	1.700,3	2.339,3		
100x60	S 275 JO/J2		866,1	1.109,4	1.125,8	1.476,8	1.810,1	2.221,5		
100x80	S 275 JO/J2		922,2		1.283,1	1.691,7	2.158,9	2.479,7		
120x40	S 275 JO/J2		845,3		1.158,1	1.535,0	1.901,3	2.677,4		
120x50	S 275 JO/J2		1.061,2		1.339,6	1.805,7	2.389,2	2.861,2		
120x60	S 275 JO/J2		936,9	1.291,3	1.283,1	1.691,7	2.062,2	2.554,8		
120x80	S 275 JO/J2		1.101,2	1.307,5	1.419,5	1.863,1	2.292,9	2.761,9		
120x100	S 275 JO/J2				1.705,7	2.374,5	2.769,4	3.330,1		
140x40	S 275 JO/J2				1.387,5	1.946,1	2.200,2	2.750,0		
140x60	S 275 JO/J2		1.123,4		1.491,9	2.075,6	2.320,0	2.942,5		
140x70	S 275 JO/J2				1.654,1	2.405,0	2.584,1	3.103,3		
140x80	S 275 JO/J2				1.683,1	2.140,0	2.633,8	3.172,4		
150x30	S 275 JO/J2		1.051,4		1.482,5	2.039,5	2.222,5			
150x40	S 275 JO/J2		1.227,2	1.351,7	1.718,7	2.008,3	2.731,9			
150x50	S 275 JO/J2		1.133,9		1.491,9	1.886,7	2.345,3	2.972,3		
150x60	S 275 JO/J2				1.637,6	2.082,8	2.937,8	3.231,0		
150x100	S 275 JO/J2				1.962,2	2.507,0	3.079,0	3.718,2		
160x60	S 275 JO/J2				1.896,2	2.297,4	2.825,5	3.744,6		
160x80	S 275 JO/J2				1.798,2	2.287,8	2.819,6	3.399,2		
180x60	S 275 JO/J2				1.846,1	2.635,7	2.855,0	3.627,7		
180x80	S 275 JO/J2				2.080,7	2.883,3	3.216,2	3.875,4		
180x100	S 275 JO/J2				2.285,4	2.991,6	3.558,0	4.287,0		
200x80	S 275 JO/J2				2.330,0	3.048,0	3.630,5	4.376,1		
200x100	S 275 JO/J2				2.366,0	3.076,9	3.670,9	4.733,2		
200x150	S 275 JO/J2				2.806,1	3.732,5	4.545,7	5.500,5		
250x100	S 275 JO/J2				3.094,7	3.732,5	4.545,7	5.500,5		

TUBI NERI - BLACK TUBES S 275 JO / J2

TUBI TONDI - ROUND TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
25	S 275 JO/J2		191,2	268,9	293,1					
26,9	S 275 JO/J2		215,3	252,5	335,8					
30	S 275 JO/J2		229,9	280,1	327,6	488,3				
33,7	S 275 JO/J2		256,7	312,7	363,6	482,4				
35	S 275 JO/J2		270,0	327,6	414,5					
38	S 275 JO/J2		313,4	356,7	453,2	585,5				
40	S 275 JO/J2		327,2	384,7	480,2					
42,4	S 275 JO/J2		327,8	400,5	466,8	617,3				
45	S 275 JO/J2		356,7	436,1	559,7					
48,3	S 275 JO/J2		375,2	459,3	536,7	704,1	869,8			
50	S 275 JO/J2		398,7	535,2	570,0	799,4				
60,3	S 275 JO/J2		474,1	579,9	679,1	894,3	1.098,6	1.391,1		
70	S 275 JO/J2		645,0	793,4	845,9	1.146,1	1.401,6	1.818,9		
76,1	S 275 JO/J2		667,5	799,4	876,1	1.239,2	1.428,2	1.725,9		
80	S 275 JO/J2		705,9	928,5	1.019,1	1.261,9	1.780,4	1.870,0		
88,9	S 275 JO/J2		770,8	948,5	1.041,7	1.379,4	1.695,6	2.064,6		
101,6	S 275 JO/J2		826,2	1.165,2	1.243,9	1.650,2	2.095,1	2.366,6		
108	S 275 JO/J2		983,4		1.425,5	1.728,9	2.282,2	2.831,3		
114,3	S 275 JO/J2		932,3	1.314,2	1.348,7	1.794,4	2.222,3	2.685,5		
121	S 275 JO/J2		1.201,4		1.655,6	2.195,4	2.502,2	2.974,6		
127	S 275 JO/J2		1.148,5		1.579,8	2.139,3	2.775,0	3.035,8		
133	S 275 JO/J2				1.719,5	2.138,5	2.837,0	3.676,6		
139,7	S 275 JO/J2				1.689,9	2.254,5	3.060,9	3.392,6		
152,4	S 275 JO/J2				1.872,0	2.653,0	3.091,4	4.103,7		
159	S 275 JO/J2				2.114,6	2.574,3	3.657,1	3.878,4		
168,3	S 275 JO/J2				2.180,7	2.725,6	3.868,9	4.112,2		
193,7	S 275 JO/J2				2.522,4	3.146,3	4.203,5	5.326,2		
219,1	S 275 JO/J2				2.799,6	3.586,7	4.662,4	6.063,8		

TUBI NERI - BLACK TUBES S 355 J0 / J2

TUBI QUADRI - SQUARE TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
20x20	S 355 J0/J2		197,7	239,9	300,4					
25x25	S 355 J0/J2		239,2	294,0	337,5					
30x30	S 355 J0/J2		286,3	374,9	404,3	507,7				
34x34	S 355 J0/J2		402,0	445,4	502,3					
35x35	S 355 J0/J2		352,6	466,9	480,2	656,5				
40x40	S 355 J0/J2		385,7	465,6	536,3	688,1	826,7			
45x45	S 355 J0/J2		468,7	623,5	632,5	885,2				
50x50	S 355 J0/J2		508,7	635,0	690,6	883,6	1.074,5	1.297,9		
60x60	S 355 J0/J2		600,6	802,6	852,9	1.099,2	1.331,9	1.777,3		
70x70	S 355 J0/J2		714,2	995,3	1.018,0	1.320,2	1.607,0	1.862,5		
80x80	S 355 J0/J2		808,6	1.084,4	1.155,4	1.502,9	1.842,1	2.141,6	2.910,8	
90x90	S 355 J0/J2		1.004,6		1.330,1	1.739,6	2.120,5	2.488,9	3.421,3	4.036,8
100x100	S 355 J0/J2		1.045,7	1.270,5	1.464,2	1.907,4	2.347,3	2.758,0	3.703,4	4.456,2
110x110	S 355 J0/J2				1.932,2	2.220,6	2.733,1	3.210,5	4.939,1	5.958,1
120x120	S 355 J0/J2			1.673,9	1.793,4	2.352,4	2.899,3	3.412,0	4.557,9	5.508,7
140x140	S 355 J0/J2				2.354,4	2.812,0	3.793,6	4.649,6	5.478,8	6.668,9
150x150	S 355 J0/J2				2.405,5	3.043,8	3.771,0	4.853,1	5.914,9	7.229,0
160x160	S 355 J0/J2				2.940,2	3.350,5	4.068,7	4.811,0	6.430,7	7.846,3
175x175	S 355 J0/J2				3.152,4	3.767,3	4.589,9	5.315,1	7.119,3	
180x180	S 355 J0/J2					3.880,5	4.615,8	5.457,0	7.311,5	8.959,6
200x200	S 355 J0/J2				3.345,2	4.347,0	5.197,5	6.145,9	8.271,5	10.021,3
250x250	S 355 J0/J2					5.660,3	6.928,7	8.192,1	10.930,2	13.477,2
300x300	S 355 J0/J2						8.841,6	10.479,8	14.234,8	17.370,3

TUBI RETTANGOLI - RECTANGULAR TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
30x15	S 355 J0/J2		221,4	292,9	325,5					
30x20	S 355 J0/J2		237,9	325,9	355,4					
40x20	S 355 J0/J2		286,3	378,3	395,9					
40x25	S 355 J0/J2		330,7	402,9	491,4					
40x30	S 355 J0/J2		335,9	405,0	470,1	597,5				
50x25	S 355 J0/J2		366,4	446,4	520,8					
50x30	S 355 J0/J2		389,8	470,8	548,0	703,0				
50x40	S 355 J0/J2		451,4	558,5	632,5	816,9				
60x30	S 355 J0/J2		446,4	577,7	632,5	816,9				
60x40	S 355 J0/J2		489,4	594,5	690,6	892,9	1.086,7			
70x40	S 355 J0/J2		593,6	772,6	788,3	1.023,3	1.422,8			
70x50	S 355 J0/J2		663,2	845,2	861,9	1.111,6	1.489,9	1.701,0		
80x30	S 355 J0/J2		557,1	772,6	796,3	1.102,3				
80x40	S 355 J0/J2		600,6	733,1	852,9	1.111,6	1.360,9	1.639,5		
80x50	S 355 J0/J2		668,5	928,6	949,5	1.228,7	1.506,7	1.839,1		
80x60	S 355 J0/J2		714,2	995,3	1.018,0	1.320,2	1.607,0	1.963,4		
90x50	S 355 J0/J2		740,2		1.039,9	1.347,7	1.767,5			
90x70	S 355 J0/J2		907,7	1.165,8	1.309,7	1.708,0	2.093,2			
100x30	S 355 J0/J2		705,8		990,0	1.293,8	1.691,9			
100x40	S 355 J0/J2		760,6	995,3	1.018,0	1.334,0	1.749,5	2.245,4		
100x50	S 355 J0/J2		783,1	1.022,3	1.089,9	1.415,1	1.748,0	2.334,4	3.134,5	

TUBI NERI - BLACK TUBES S 355 J0 / J2

TUBI RETTANGOLI - RECTANGULAR TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
100x60	S 355 J0/J2		892,9	1.142,0	1.167,6	1.518,8	1.861,5	2.224,5	3.228,6	
100x80	S 355 J0/J2		953,5		1.330,1	1.739,6	2.212,4	2.488,9	3.720,8	
120x40	S 355 J0/J2		872,3		1.199,4	1.576,2	1.951,2	2.665,4		
120x50	S 355 J0/J2		1.087,4		1.381,7	1.846,9	2.437,0	2.849,0		
120x60	S 355 J0/J2		967,9		1.330,1	1.739,6	2.120,5	2.558,1	3.436,2	
120x80	S 355 J0/J2		1.134,7	1.350,2	1.472,5	1.916,7	2.358,7	2.773,5	3.818,0	4.782,1
120x100	S 355 J0/J2				1.761,9	2.428,7	2.838,9	3.332,7	4.617,1	
130x50	S 355 J0/J2		1.080,8		1.526,2	1.939,8	2.277,9			
140x40	S 355 J0/J2				1.433,0	1.989,7	2.256,0	2.748,6		
140x60	S 355 J0/J2		1.156,5		1.543,6	2.125,7	2.385,5	2.947,2	3.890,6	
140x70	S 355 J0/J2				1.706,9	2.454,5	2.650,8	3.107,8	4.336,4	
140x80	S 355 J0/J2				1.739,7	2.198,3	2.705,5	3.181,2	4.420,2	5.517,1
150x30	S 355 J0/J2		1.080,8		1.526,2	2.081,5	2.277,9			
150x40	S 355 J0/J2		1.217,3		1.705,6	1.992,7	2.711,3			
150x50	S 355 J0/J2		1.166,8		1.543,6	1.939,8	2.410,2	2.975,7	3.929,9	
150x60	S 355 J0/J2				1.690,8	2.137,9	2.998,6	3.230,4		
150x100	S 355 J0/J2				2.026,1	2.572,9	3.160,0	3.725,5	4.978,0	6.304,0
160x60	S 355 J0/J2				1.949,2	2.353,2	2.894,1	3.731,0		
160x80	S 355 J0/J2				1.860,7	2.352,4	2.899,3	3.412,0	4.789,4	6.003,4
180x60	S 355 J0/J2				1.907,7	2.694,4	2.933,9	3.631,5	4.882,7	
180x80	S 355 J0/J2				2.146,9	2.947,3	3.300,7	3.882,7	5.443,2	6.755,2
180x100	S 355 J0/J2				2.356,0	3.063,1	3.648,3	4.291,7	5.914,0	7.191,1
200x80	S 355 J0/J2				2.399,6	3.118,8	3.719,6	4.377,2	6.135,8	
200x100	S 355 J0/J2				2.443,7	3.155,8	3.771,0	4.733,7	6.194,2	7.560,0
200x150	S 355 J0/J2				2.896,1	3.823,4	4.659,2	5.503,9	7.503,2	9.184,7
250x100	S 355 J0/J2				3.179,9	3.823,4	4.659,2	5.503,9	7.503,2	9.184,7
250x150	S 355 J0/J2					4.408,2	5.384,7	6.363,5	8.843,2	10.714,1
300x100	S 355 J0/J2					4.453,3	5.464,5	6.456,1	9.001,3	11.053,0
300x150	S 355 J0/J2					5.362,2	6.262,3	7.476,6	10.220,9	12.565,5
300x200	S 355 J0/J2					5.765,6	7.094,6	8.385,0	11.285,8	13.909,3

TUBI NERI - BLACK TUBES S 355 J0 / J2

TUBI TONDI - ROUND TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
26,9	S 355 J0/J2		222,3	261,0	345,4					
28	S 355 J0/J2		221,7	269,0	359,7					
33,7	S 355 J0/J2		265,9	323,9	376,9	495,6				
42,4	S 355 J0/J2		339,5	414,9	484,2	634,4				
48,3	S 355 J0/J2		388,7	475,6	556,4	723,9	893,8	1.096,5		
50	S 355 J0/J2		412,2	551,4	590,3	818,9				
60,3	S 355 J0/J2		490,8	600,6	704,1	919,5	1.129,8			
70	S 355 J0/J2		662,8	815,8	874,3	1.174,1	1.355,2	1.814,2		
76,1	S 355 J0/J2		687,7	824,8	907,8	1.270,0	1.468,0	1.731,6		
80	S 355 J0/J2		727,0	953,7	1.050,7	1.295,1	1.817,7			
88,9	S 355 J0/J2		794,7	978,2	1.079,0	1.417,2	1.741,9	2.070,3	3.015,6	3.657,8
101,6	S 355 J0/J2		854,4	1.198,0	1.285,8	1.692,2	2.146,3	2.373,4	3.332,0	4.052,2
114,3	S 355 J0/J2		964,0	1.351,3	1.396,6	1.843,4	2.283,0	2.693,1	3.710,8	4.521,8
121	S 355 J0/J2				1.708,2	2.348,7	2.520,4	2.977,9	4.013,4	4.980,2
127	S 355 J0/J2		1.182,1		1.631,9	2.189,5	2.834,8	3.043,1	4.143,4	5.018,7
133	S 355 J0/J2				1.773,1	2.194,7	2.903,9	3.664,9	4.397,0	5.409,4
139,7	S 355 J0/J2				1.748,1	2.313,9	3.129,8	3.399,2	4.625,0	5.626,0
152,4	S 355 J0/J2				1.935,8	2.714,2	3.171,5	4.095,7	5.121,8	6.234,5
159	S 355 J0/J2				2.177,6	2.641,9	3.733,3	3.885,8	5.304,8	6.552,0
168,3	S 355 J0/J2				2.248,7	2.797,3	3.949,5	4.120,3	5.621,0	6.856,7
193,7	S 355 J0/J2				2.600,8	3.229,1	4.302,3	5.304,7	6.510,4	8.081,5
219,1	S 355 J0/J2				2.889,7	3.680,3	4.773,3	6.045,9	7.438,0	9.226,0
244,5	S 355 J0/J2					4.095,5	5.093,9	6.060,3	8.307,1	10.311,4
273	S 355 J0/J2					4.765,2	5.929,6	7.057,1	9.679,6	12.024,3
323,9	S 355 J0/J2					6.426,4	7.061,7	8.396,9	11.522,0	14.348,4

TUBI ZINCATI - GALVANISED TUBES "SENDZIMIR"

TUBI OVALI - OVAL TUBES € /100 mt.

Spessore - Thickness mm.

dimensioni		1,50	2,00	2,50	3,00	4,00
30x15	zinc.	211,7	276,2			
40x20	zinc.	281,8	369,7			
50x10	zinc.	313,6	411,8			
50x25	zinc.	368,1	484,7			
60x30	zinc.	440,2	581,1			

TUBI QUADRI - SQUARE TUBES € /100 mt.

Spessore - Thickness mm.

dimensioni		1,50	2,00	2,50	3,00	4,00
10x10	zinc.	126,5				
12x12	zinc.	139,9				
15x15	zinc.	179,0	217,6			
20x20	zinc.	207,1	258,3	319,7		
25x25	zinc.	244,8	312,3	381,1	450,9	
30x30	zinc.	290,3	371,2	456,0	536,0	
34x34	zinc.	430,6	514,4	625,1		
35x35	zinc.	342,7	445,5	568,0	638,7	
40x40	zinc.	377,6	481,7	626,1	704,4	
45x45	zinc.	446,9	579,2	730,5	838,3	
50x50	zinc.	479,6	611,7	797,1	944,2	1.202,1
60x60	zinc.	580,3	741,4	968,0	1.149,1	1.480,3
70x70	zinc.	766,2	974,4	1.261,8	1.500,9	1.966,1
80x80	zinc.	879,8	1.120,0	1.451,1	1.516,9	2.043,8
100x100	zinc.		1.317,5	1.669,7	1.930,6	2.573,9
120x120	zinc.				2.395,9	3.150,1
150x150	zinc.				3.329,5	4.347,0

TUBI RETTANGOLI - RECTANGULAR TUBES € /100 mt.

Spessore - Thickness mm.

dimensioni		1,50	2,00	2,50	3,00	4,00
20x10	zinc.	157,2	197,6			
20x15	zinc.	183,6	231,7			
25x10	zinc.	185,0	233,6			
25x15	zinc.	206,1	260,6			
25x20	zinc.	231,2	292,8			
30x10	zinc.	207,9	262,6			
30x15	zinc.	218,1	280,0			
30x20	zinc.	240,6	309,6	387,2	437,9	
30x25	zinc.	275,2	355,1			
35x10	zinc.	229,6	295,0			
35x15	zinc.	245,8	316,6			
35x20	zinc.	272,7	351,9			
35x25	zinc.	347,7	384,0	481,7		
40x10	zinc.	248,1	319,5			
40x15	zinc.	267,8	345,8			
40x20	zinc.	288,3	372,3	466,9	531,1	
40x25	zinc.	320,5	414,4	520,5	612,2	

TUBI RETTANGOLI - RECTANGULAR TUBES € /100 mt.

Spessore - Thickness mm.

dimensioni		1,50	2,00	2,50	3,00	4,00
40x27	zinc.	333,3	423,7			
40x30	zinc.	342,7	444,1	557,7	626,3	
40x35	zinc.	382,1	485,8			
45x10	zinc.	275,2	348,8			
45x15	zinc.	294,9	380,7			
45x20	zinc.	320,5	414,4			
45x25	zinc.	350,4	454,1	570,5		
45x30	zinc.	378,5	490,1			
45x35	zinc.	399,5	509,0	651,5		
50x10	zinc.	297,5	384,0			
50x15	zinc.	332,0	429,8			
50x20	zinc.	342,7	444,1	557,7	642,5	
50x25	zinc.	366,8	475,1	597,8	690,6	
50x30	zinc.	379,2	490,8	617,9	718,4	
50x35	zinc.	431,6	550,2			
50x40	zinc.	436,8	566,6			
60x10	zinc.	363,0	470,3			
60x15	zinc.	382,1	494,7			
60x20	zinc.	390,8	508,7	629,2	742,6	
60x25	zinc.	431,6	559,8	704,9		
60x30	zinc.	436,1	561,3	707,9	824,9	
60x40	zinc.	471,3	611,7	772,4	898,7	1.164,5
60x50	zinc.	563,1	732,5	924,2		
70x20	zinc.	455,0	589,9	743,7		
70x25	zinc.	481,7	614,1			
70x30	zinc.	506,1	635,6	829,4	935,2	
70x40	zinc.	543,8	706,3	892,4		
70x50	zinc.	604,1	771,6	1.007,2		
80x15	zinc.	491,9	639,1			
80x20	zinc.	505,9	649,5			
80x30	zinc.	556,0	711,2	912,3	1.031,2	
80x40	zinc.	594,5	753,7	947,1	1.100,1	1.493,0
80x50	zinc.		846,4	1.102,1	1.261,9	
80x60	zinc.	719,4	907,2	1.185,0	1.339,6	
90x20	zinc.	600,1	780,8			
90x30	zinc.	652,5	850,5	1.072,4		
90x40	zinc.	713,3	929,9			
90x50	zinc.	766,2	999,2		1.470,3	
100x20	zinc.	636,2	815,1			
100x30	zinc.	684,8	891,3		1.267,7	
100x40	zinc.	714,2	908,2	1.149,6	1.336,0	
100x50	zinc.	763,8	971,8	1.229,8	1.425,4	1.923,7
100x60	zinc.		1.075,2	1.335,2	1.552,8	2.110,6
100x80	zinc.		1.219,1	1.505,9	1.777,6	
120x30	zinc.		1.006,7		1.515,8	
120x40	zinc.	950,0	1.081,5		1.582,2	2.131,6
120x50	zinc.		1.147,3		1.729,8	

TUBI ZINCATI - GALVANISED TUBES "SENDZIMIR"

TUBI RETTANGOLI - RECTANGULAR TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni		1,50	2,00	2,50	3,00	4,00
120x60	zinc.		1.203,0		1.754,0	2.346,8
120x80	zinc.		1.361,0		1.992,7	2.623,3
140x60	zinc.		1.388,6		2.114,5	
140x80	zinc.				2.321,2	
150x30	zinc.		1.234,3		1.861,7	
150x40	zinc.		1.310,2			
150x50	zinc.		1.364,6		2.080,0	2.734,3
150x60	zinc.				2.181,6	
150x100	zinc.				2.571,8	3.464,3
160x80	zinc.				2.502,4	3.285,2
180x60	zinc.				2.502,4	3.285,2
180x80	zinc.				2.715,4	3.660,5
200x100	zinc.				3.130,3	4.104,9

TUBI TONDI - ROUND TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni		1,50	2,00	2,50	3,00	4,00
18	zinc.	147,8	188,3			
20	zinc.	154,3	196,6			
25	zinc.	203,0	262,2			
26,9	zinc.	221,0	284,0	353,4		
28	zinc.	213,3	274,1	357,3		
30	zinc.	229,2	295,2	369,1		
32	zinc.	245,9	313,4	392,3		
33,7	zinc.	254,6	328,2	401,6	477,0	
35	zinc.	268,7	346,9	432,2		
38	zinc.	291,3	377,1	457,7		
40	zinc.	311,9	403,7	476,6	585,7	
42,4	zinc.	326,1	421,7	514,1	611,6	
45	zinc.	353,8	457,6	565,4	670,6	
48,3	zinc.	368,7	483,3	589,5	703,7	
50	zinc.	393,6	510,8	642,9	763,3	
60,3	zinc.	470,6	609,9	744,4	890,2	1.208,9
70	zinc.	556,0	723,4	913,4	1.088,4	
76,1	zinc.		780,8	957,2	1.146,2	1.546,9
80	zinc.	648,7	844,7	1.067,5		
88,9	zinc.	709,7	925,7	1.135,0	1.359,5	1.856,9
101,6	zinc.		1.059,6	1.300,9	1.558,6	2.133,3
114,3	zinc.		1.195,0	1.473,5	1.760,3	2.411,3
127	zinc.		1.342,9		1.979,6	2.687,1

TUBI SERRAMENTI - WINDOW FRAMES €/100 mt.

Spessore - Thickness mm.

dimensioni		1,50	2,00	2,50	3,00	4,00
1A	zinc.	401,0				
1B	zinc.	504,4				
1C	zinc.	469,7				
2A	zinc.	409,6				
11A	zinc.	314,6				
11B	zinc.	366,5				
11C	zinc.	375,3				
15A	zinc.	461,3				
15T	zinc.	547,7				
15Z	zinc.	547,7				
16A	zinc.	530,3				
16B	zinc.	530,3				
16D	zinc.		1.068,9			
16Z	zinc.	590,4				
SF1B	zinc.	516,7				
SF2B	zinc.	605,0				
SF3B	zinc.	605,0				
MT5	zinc.	390,8				
MT9	zinc.	406,1				

GENERAL TERMS AND CONDITIONS OF SALE

1. FIELD OF APPLICATION

- 1.1 The Seller party shall mean the company supplying the products to be delivered, which shall issue an invoice for the same products.
- 1.2 The Buyer party shall mean the holder of the invoices for the products in question.
- 1.3 These General Terms and Conditions of Sale govern all present and future contractual relations between the parties on the terms described below and/or on the basis of any further agreement specified in writing between the parties and shall apply as soon as they are approved in writing by the Buyer.
- 1.4 Unless specifically approved in writing by the Seller, any divergent general or special conditions quoted or referred to by the Buyer in its communications to the Seller shall be deemed to have no effect.

2. OFFERS

- 2.1 Offers are subject to availability checks and are always "subject to sale".
- 2.2 Offers of prices and/or goods are not binding for Profiltubi if they are not followed by an order from the customer and its confirmation by Profiltubi.

3. CUSTOMER ORDERS – ACCEPTANCE

- 3.1 The supply relationship is governed exclusively by the agreements set out in these General Terms and Conditions of Sale. The parties may agree to any amendments, additions or derogations to the aforementioned General Terms and Conditions of Sale, which must be set out in writing in the documents containing the buyer's request for an offer of sale and the seller's acceptance thereof.
- 3.2 Orders must be complete and defined in every part and must indicate the reference standard for each specific product. If the order does not contain any special requirements, the goods will be delivered according to the characteristics of the reference standard for the relevant type.

4. CONFIRMATION OF SALES ORDER

- 4.1 The supply will include only what is specified in the confirmation of the sales order or in any subsequent modification of the same, transmitted by Profiltubi.
- 4.2 The confirmation of the sale order shall prevail, in any event, over any other document.
- 4.3 The confirmation of the sale order will be considered accepted by the Buyer if not contested by him in writing within 2 days from the date of sending by Profiltubi.
- 4.4 The nominal weights and dimensions, in any case and wherever indicated, are merely indicative, allowing the tolerances for use foreseen by the reference standards of the products.

5. SHIPMENTS

- 5.1 Shipments shall be carried out in accordance with the procedures set out on the sales order confirmation. The transport of the goods does not allow for fixed times of unloading and is carried out according to the norms of the Highway Code (D.Lgs. n. 285/1992 e s.m. e i.). The facts that prevent or delay the shipment of the products for reasons not attributable to Profiltubi such as, by way of example but not limited to, delayed supplies of raw materials, import bans, strikes (including company strikes) and other facts that prevent or delay the production and/or processing of the products (always for reasons not attributable to the

Seller) are conventionally considered force majeure and/or unforeseeable circumstances and the Seller, after promptly informing the Buyer, shall be relieved of its delivery obligations for the entire duration of the impediment and for the entire period of time in which the consequent effects continue, as well as of any obligation to pay damages for delay or non-fulfilment towards the Buyer.

- 5.2 Unless otherwise agreed in writing between the parties, the delivery term is the one indicated in the order confirmation of Profiltubi. This term is always intended as indicative and not binding, unless otherwise agreed upon in writing. Any binding delivery terms requested by the Buyer must therefore be specifically approved by Profiltubi in writing in the order confirmation.

6. TERMS OF PAYMENT

- 6.1 The price of the sale is stated in the Invoice as well as the method of payment; the place of payment is at the Seller's place of business.
- 6.2 It remains the Seller's right to request payment by bank transfer or cheque upon notice of readiness for shipment.
- 6.3 The Seller shall have the right to grant extended payment terms against issuance of bank receipts, bills of exchange, promissory notes, assignments or drafts, with costs and stamps payable by the Buyer, who shall in any case be charged interest on arrears. This concession does not constitute a derogation from either the place of payment or the terms set out in the invoice and does not constitute novation of the obligation. Any dispute shall not entitle the Buyer to suspend or modify the agreed payment terms.

7. PAYMENTS AND PRODUCT PROPERTY (Reserved Domain)

- 7.1 The Buyer shall acquire ownership of the products only upon full payment of the invoice issued by the Seller, but shall assume all risks inherent in the products themselves, including the risk of loss due to causes not attributable to the Seller. In the event of late payment, the Buyer shall pay interest on arrears at the rate determined in accordance with Legislative Decree no. 231 of 09.10.2002, starting from the date of expiry of the agreed term.
- 7.2 In the event of non-payment on the due date of even a single part of the price, the Purchaser shall forfeit the benefit of deferred payment ("benefit of the term") also for supplies in progress; the Seller, moreover, may invoke the application of articles 1460 and 1461 of the Civil Code and therefore suspend supplies in progress.
- 7.3 The Seller is entitled, without delay or withdrawal, to demand the return of the reserved goods if the Buyer is in arrears with payment of the invoices for the relevant delivery.

8. WITHDRAWAL FROM CONTRACT

The Seller shall also have the right to withdraw from the contract at no charge if it is aware of the existence of protests of securities, as well as the start of monitoring, ordinary, insolvency or extrajudicial legal proceedings against the Buyer.

9. GUARANTEES

- 9.1 Profiltubi guarantees that the products supplied are in full compliance with the characteristics and conditions specified in the sales order confirmation. Profiltubi does not assume any responsibility for the applications and in any case the operations to which the material supplied will be subjected at the Buyer's premises or on his behalf.
- 9.2 The Buyer is obliged to respect the rules for the correct and safe use of the products, in conformity with the technical characteristics of the products and with what is indicated in

the technical sheets eventually supplied by Profiltubi. The Buyer is also obliged and committed to respect the norms in force regarding environment, safety and hygiene.

- 9.3 Any damage due to transport is excluded from the warranty, even if the carrier has been chosen by the Seller.
- 9.4 Each warranty claim must be sent to the Seller with a written report indicating the non-conformities found, the checks carried out and any other useful information. The Seller reserves the right to request further information in order to identify the causes of the non-conformity.
- 9.5 Material deemed to be non-compliant must be returned to the Seller for inspection, only after written authorisation by the Seller. Any transport costs shall be borne by the Buyer.

10. COMPLAINTS

- 10.1 The Buyer is obliged to inspect the goods at the moment of unloading; eventual complaints must be reported on the transport document and within 48 hours from the receipt of the goods, under penalty of forfeiture, communicated in writing to Profiltubi.
- 10.2 The report of any hidden defects must be made in writing, under penalty of forfeiture, within 8 (eight) days of discovery, and in any case within 90 (ninety) days of receipt of the product. In any case the Buyer loses the guarantee if he does not immediately suspend the processing or the use of the product which is the object of the complaint. Profiltubi reserves the right to verify that the reported defects are not related to inadequate or careless storage and/or handling of the products by the Buyer.
- 10.3 In case the complaint is well-founded after verification by Profiltubi, the compensation will be limited to the replacement or the payment of the equivalent amount of the product. In any case Profiltubi is not responsible for the greater damages caused directly or indirectly by the sale of the products subject to complaint.
- 10.4 Complaints and protests do not entitle the Buyer to suspend payment of the invoice for the disputed goods.

11. RETURNS

Profiltubi is not obliged to accept returns of products, unless otherwise agreed upon in writing. Any cost incurred for this purpose is at the expense of the Buyer.

12. SAFEGUARD CLAUSE

In addition to the cases of fortuitous event and/or force majeure and in the other cases foreseen by the law, including the state of alarm, mobilization, blockade or war also in countries that supply raw materials, strikes and staff unrest, occupation of factories, lock-outs, fires, floods, public calamities, etc., as well as in the case of possible measures and dispositions of the Public Authorities intended to limit and in any case discipline the consumption of certain raw materials, and the production and distribution of steel and finished products, Profiltubi will have the right to make use of all the possibilities offered by the law, as well as in the case of eventual measures and dispositions of the Public Authorities intended to limit and in any case discipline the consumption of certain raw materials, and the production and distribution of steel and finished products, Profiltubi will have the right to recede, in whole or in part, from the sales contract definitively concluded, as well as from those in the course of being defined when facts and circumstances occur, wherever they occur, that substantially alter the state of the markets, the value of the currency and the conditions of Italian industry. In these cases and in general, when Profiltubi withdraws from the contract for an impediment that does not depend on its own fact or fault, the buyer will

not have the right to any indemnity, compensation or reimbursement and must, if requested by Profiltubi, pay for the goods already prepared or in progress.

13. REGULATORY STANDARDS

Anything not expressly governed by these "General Terms and Conditions of Sale" shall be governed by the rules on sales laid down in Articles 1470 et seq. of the Civil Code.

14. PROCESSING OF PERSONAL DATA.

The personal data of the Buyer will be treated in accordance with the provisions of the Italian and supranational applicable legislation (Legislative Decree 30.6.2003 n. 196 and GDPR 679/2016).

By signing this contract the Buyer gives consent to the processing of his personal data, also declaring that he has been adequately informed by Profiltubi regarding the purpose of the processing and the rights under Art. 7 of Legislative Decree 30.6.2003 n. 196 and GDPR 679/2016.

15. LEGAL PRESCRIPTIONS

The Seller reserves the right to modify all the technical characteristics of the products deemed necessary at any time and without prior notice. The Seller undertakes in any case to preserve the interchangeability of its products and their functionality.

16. APPLICABLE LAW AND COMPETENT COURT

Any dispute deriving from the interpretation, application, execution, termination of these "General Conditions of Sale" and of the relative contracts stipulated or in any case related to them, shall be devolved exclusively to the jurisdiction of the Court of Reggio Emilia, even in case of connection of causes, with application of Italian law.

Profiltubi SpA

January 2021

PURSUANT TO AND FOR THE PURPOSES OF ART. 1341 OF THE ITALIAN CIVIL CODE, THE PURCHASER SPECIFICALLY APPROVES THE PROVISIONS REFERRED TO BELOW: ART. 1 - SCOPE; ART. 5 - SHIPPING; ART. 7 - PAYMENTS AND OWNERSHIP OF THE PRODUCT; ART. 8 - WITHDRAWAL; ART. 9 - GUARANTEES; ART. 10 - COMPLAINTS; ART. 12 - SAFEGUARD CLAUSE; ART. 16 - APPLICABLE LAW AND COMPETENT COURT.

This document is a courtesy translation in English language of the Italian version of the General Terms and Conditions of Sale of Profiltubi S.p.A.. This translation has been prepared by Profiltubi S.p.A. for the exclusive purpose of facilitating the reading of the Italian text. Profiltubi S.p.A. does not assume or accept any responsibility for the correctness of the translation of the General Terms and Conditions of Sale. The Italian text (Condizioni generali di vendita - available on the website www.profiltubi.it) will be the only one with legal value and will prevail in case of possible divergence with the English translation, or omissions within the same.



Direzione e stabilimento:

Viale A. Grandi 7 e 9 – 42046 REGGIOLO (RE) – Italy

Tel: (+39) 0522 971421 r.a. – FAX: (+39) 0522 971889

Mail:

commerciale.italia@profiltubi.it

commerciale.estero@profiltubi.it